

SCS Global Services does hereby certify that an independent assessment has been conducted on behalf of:

Twelve Oaks Laminate Flooring Supplier A

Note: The name of the manufacturer is hereby withheld as this is based on privileged and proprietary information. If any further information is required, please contact Twelve Oaks management.

For the following product(s):

Laminate:

Laminate Flooring (*Maximum thickness: 12mm*)

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

FloorScore®

Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0

Conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m³ (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Registration # SCS-FS-06550

Valid from: November 23, 2020 to November 30, 2021

SCS Global Services is currently the only certification body approved by the Resilient Floor Covering Institute (RFCI) to provide FloorScore® product certification; certified products are only listed on the SCS Green Products Guide, <http://www.scsglobalservices.com/certified-green-products-guide>.



ISO/IEC 17065
Product Certification Body
#0821

A handwritten signature in black ink that reads "Stanley Mathuram".

Stanley Mathuram, PE, Vice President
SCS Global Services

2000 Powell Street, Ste. 600, Emeryville, CA 94608 USA

